INDEX TO VOLUME 24

AUTHORS INDEX*

In this index following the author's name, the title of the subject is given as it appeared in the JOURNAL.

A

ALDREDGE, WILLIAM M., AND HALPERT, BÉLA. Lipoma of the thenar, 853

ALEXANDER, EBEN, JR. (*See* Ingraham, Alexander, Jr., and Matson), 518

ARTZ, CURTIS P. (*See* McCleery, Artz, and Sirak), 348

—. (*See* Sirak, McCleery, and Artz), 811

B

BARONOFSKY, IVAN D. Technique of inguinal node dissection, 555

—. (*See* Friesen, Merendino, Baronofsky, Mears, and Wangensteen), 134

BEAL, JOHN M. Diaphragmatic hernia following subdiaphragmatic vagotomy, 625

BELL, H. GLENN, AND MILLAR, R. GORDON. Congenital macroglossia, 125

—. (*See* Grimes and Bell), 401

—. (*See* McCorkle, Low-Beer, Bell, and Stone), 409

BERGMANN, LOUIS L., HARMAN, PINCKNEY, J., PICK, JOSEPH, AND WERTHEIM, HIPPOLYTE M. On the histology of surgically removed sympathetic ganglia, 695

BEST, R. RUSSELL. Management of the ileosigmoidal fistula in diverticulitis, 30

BILL, ALEXANDER H., JR. (See Swenson and Bill, Jr.), 212

BLADES, BRIAN. (*See* Effler, Blades, and Marks), 917

BLAKEMORE, ARTHUR H. Portacaval anastomosis, 480

BLOCKER, T. G., JR. Albert O. Singleton, 587

BLUM, LESTER. The application of myotomy to tendon repair in the fingers, 999

BONNETT, ALBERTA. (See Price and Bonnett), 542

BORS, ERNEST, AND COMARR, ESTIN. Ischial decubitus ulcer, 680

BRALOW, S. P. (*See* Scheinberg, Bralow, and Necheles), 972

BRIDGES, HUNTER. (See Hodge and Bridges), 805

BROWN, ALTON G. (See Parker and Brown), 708

BRUNSCHWIG, ALEXANDER, DARGEON, HAROLD W., AND RUSSELL, WALTER A. Duplication of the entire colon and lower ileum, with termination of one colon into a vaginal anus, 1010

BURFORD, THOMAS H. (See Parker and Burford), 371

BYRON, F. X. Congenital atresia of the esophagus with hypoplasia or agenesis of the lower segment, 841

C

CAMPBELL, DARRELL A. (*See* Smith and Campbell), 655

CARR, DUANE. (*See* Wilson and Carr), 342

CECIL, ARTHUR. (*See* Pickrell and Cecil), 416

CHRISTOPHER, FREDERICK, AND SAVAGE, JOHN L. Apoplexy of the gall bladder, 864

CIPOLLA, ARTHUR F., AND NARAT, JOSEPH K. Effect of absorbable sponges on infection, 828

CLAGETT, O. THERON. (*See* Haynes, Clagett, and McDonald), 120

—. (*See* Higginson and Clagett), 613

COHEN, SIDNEY H., TAPLIN, GEORGE V., AND MAHONEY, EARLE B. Inhalation of micro-powdered penicillin and streptomycin in the prevention of postoperative pulmonary infection, 392

COLVIN, E. M. (*See* Wallace and Colvin), 832

COMARR, ESTIN. (*See* Bors and Comarr), 680

COWLEY, LEONARD L., AND LAM, CONRAD R. The neutralization of heparin by protamine, 97

CRILE, GEORGE, JR. A definitive ambulatory treatment for infected pilonidal cysts, 677

CUBERO, GONZALO. Compound transverse fracture of the maxilla, 109

CUNNINGHAM, RALPH T. Primary sarcoma of the greater omentum, 739

D

DARGEON, HAROLD W. (*See* Brunschwig, Dargeon, and Russell), 1010

DELOACH, A. WILLIAM. (*See* Poth, Manhoff, Jr., and DeLoach), 62

DENNIS, EDWARD W. (*See* Martin, Jr., Robertson, and Dennis), 819

DE TAKATS, GEZA, JULIAN, ORMAND C., AND FOWLER, EDSON F. The surgical treatment of essential hypertension (IV), 469

DIXON, CLAUDE F., AND WEISMANN, RODGER E. Polyps of the sigmoid occurring thirty years after bilateral ureterosigmoidostomy for exstrophy of the bladder, 1026

DOLGIN, M. (*See* Hellerstein, Sinaiko, and Dolgin), 719

DONALD, DAN C. The value derived from utilizing the component parts of the transversalis fascia and Cooper's ligament in the repair of large indirect and direct inguinal hernia, 662

*July, pp. 1-160; August, pp. 161-444; September, pp. 445-592; October, pp. 593-754; November, pp. 755-916, December, pp. 917-1084.

DRINKER, CECIL K., AND HARDENBERGH, ESTHER. The effects of the supine position upon the ventilation of the lungs of dogs, 113

DULL, JAMES A. (*See* Kirby, Dull, Fulton, Price, and Zintel), 647

DUNPHY, J. ENGLEBERT, AND HOERR, STANLEY, O. The indication for emergency operation in severe hemorrhage from gastric or duodenal ulcer, 231

E

EFFLER, DONALD BRIAN, BLADES, BRIAN, AND MARKS, EDWARD. The problem of the solitary lung tumors, 917

ELLIOTT, STUART R., II. (*See* White and Harkins), 90

ETTINGER, JEROME. (*See* Farris, Ettinger, and Weinberg), 293

F

FARRIS, JACK M., ETTINGER, JEROME, AND WEINBERG, JOSEPH A. The hernia problem, with reference to a modification of the McVay technique, 293

FOWLER, EDSON F. (*See* de Takats, Julian, and Fowler), 469

FREEMAN, L. W. A simple combined approach to the obturator and femoral nerves, 968

FRIESEN, STANLEY R., MERENDINO, K. ALVIN, BARONOFSKY, IVAN D., MEARS, FREDERICK B., AND WANGENSTEEN, OWEN H. The relationship of bone trauma to the development of acute gastroduodenal lesions in experimental animals and in man, 134

FRY, KENNETH E. (*See* Shallow and Fry), 1020

FULTON, HAROLD E. (*See* Kirby, Dull, Fulton, Price, and Zintel), 647

G

GARLOCK, JOHN H. Resection of thoracic esophagus for carcinoma located above arch of aorta; cervical esophagogastrostomy, 1

GAVISER, DAVID. Clinical investigation and evaluation of four hundred sixteen cases consecutively operated upon for peptic ulcer, 873

—. (*See* Hebbel and Gaviser), 512

GERBODE, FRANK, AND SELZER, ARTHUR. Experimental cardiac hypertrophy, 505

GINSBERG, MILTON. (*See* Miller and Ginsberg), 57

GINZBURG, LEON. (*See* Lesnick, Siegal, and Ginzburg), 989

GIUS, JOHN ARMES. The role of hypertrophy of the muscularis in the delayed onset of symptoms in cancer of the colon, 221

GOLDFARB, ALVIN, AND WAGNER, MARVIN. An analysis of the treatment of trophic ulcers, 744

GOLDMAN, ALFRED. (See Wolfson and Goldman), 846

GRANT, RUSSEL B., AND MURRAY, S. DOUGLAS. Perforation of the sigmoid following enema, 867

GREENE, BARNETT A., AND PILLION, JOHN W. The dilute pentothal drip infusion, 855

GRIMES, ORVILLE F., AND BELL, H. GLENN. The significance of hemoptysis in carcinoma of the thyroid gland, 401

GRINDLAY, JOHN H. Method of making tubes of polyethylene film for use in anastomosis of the common bile duct, trachea, and pelvic colon, 22

GROSS, ROBERT E. A new method for surgical treatment of large omphaloceles, 277

GROSSMAN, M. I. (*See* Hanson, Grossman, and Ivy), 944

H

HAGERTY, R. F. (*See* Postlethwait, Hagerty, and Trent), 732

HALPERT, BÉLA. (*See* Aldredge and Halpert), 853

HANSON, M. E., GROSSMAN, M. I., AND IVY, A. C. Production of gastroduodenal ulcers in the dog by continuous subcutaneous or intravenous administration of histamine, 944

HARDENBERGH, ESTHER. (*See* Drinker and Hardenbergh), 113

HARDY, IRAD B., JR. (*See* Linton and Hardy, Jr.), 452

HARKINS, HENRY H. (*See* White and Harkins), 90

HARMAN, PINCKNEY J. (*See* Bergmann, Harman, Pick, and Wertheim), 695

HAYNES, ALLAN L., CLAGETT, O. THERON, AND MCDONALD, JOHN R. Tumor-forming amyloidosis of the lung, 120

H'DOUBLER, FRANCIS T., AND VAIL, A. DENTON. Multiple primary carcinoma, 1002

HEBBEL, ROBERT, AND GAVISER, DAVID. The relationship between gross type of gastric carcinoma and anacidity, 512

HELLERSTEIN, H. K., SINAIKO, E., AND DOLGIN, M. Amputation of the canine atrial appendages, 719

HERZ, RALPH. Sciatica caused by cyst formation in old hematoma, 714

HIGGINS, GEORGE M. (*See* Small and Higgins), 628

HIGGINSON, JOHN F., AND CLAGETT, O. THERON. Gastric resection; the Schoemaker-Billroth I operation, 613

HODGE, G. B., AND BRIDGES, HUNTER. Surgical management of thoracic duct injuries, 805

HOERR, STANLEY O. (*See* Dunphy and Hoerr), 231

HOXWORTH, PAUL I., AND SLAUGHTER, DANELY P. Polyposis (adenomatosis) of the colon, 188

I

INGRAHAM, FRANC D., ALEXANDER, EBEN, JR., AND MATSON, DONALD D. Clinical studies in craniosynostosis, 518

IVY, A. C. (*See* Hanson, Grossman, and Ivy), 944

J

JULIAN, ORMAND C. (*See* de Takats, Julian, and Fowler), 469

K

KEY, J. ALBERT, AND REYNOLDS, FRED C. Intrapelvic obturator neurectomy for the relief of chronic arthritis of the hip, 959

KIRBY, CHARLES K., DULL, JAMES A., FULTON, HAROLD E., PRICE, EDWARD B., AND ZINTEL, HAROLD A. The effect of streptomycin, local and systemic, on contaminated, sutured wounds, 647

KIRGIS, HOMER D. (*See* Reed and Kirgis), 860

KOZOLL, DONALD D. (*See* Mok, Kozoll, and Meyer), 952

KREMEN, ARNOLD J. A combined abdominothoracic incision particularly adapted for use in total gastrectomy and esophagogastrectomy, 605

—. (*See* McGraw, Kremen, and Rigler), 793

KRISTIANSEN, KRISTIAN. Cerebral angiography in the diagnosis of intracranial hematomas, 755

KRUEGER, FREDERICK J. (*See* Michele and Krueger), 100

L

LAM, CONRAD R. (*See* Cowley and Lam), 97

LAMM, HEINRICH. A method for puncturing blood vessels, located and exposed by incision, 653

LAURELLI, EDMUND C. (*See* Migliaccio and Laurelli), 54

LEFF, WALTER. (*See* Lewis and Leff), 1014

LESNICK, GERSON, SIEGAL, SHEPPARD, AND GINZBURG, LEON. Pseudocellulitis, a reaction to penicillin in peanut oil and beeswax, 989

LEVINE, JACK. A ganglion of the anterior cruciate ligament, 836

LEWIS, ALVIN E., AND LEFF, WALTER. Gaseous distention of the latex bag in the use of the single lumen intestinal tube, 1014

LINTON, ROBERT R., AND HARDY, IRAD B., JR. Postthrombotic syndrome of the lower extremity, 452

LIUM, ROLF, AND MADDOCK, STEPHEN. Etiology of acute pancreatitis, 593

LONGMIRE, W. P., JR., AND SANFORD, M. C. Intrahepatic cholangiojejunostomy with partial hepatectomy for biliary obstruction, 264

—, AND SCOTT, H. WILLIAM, JR. Benign adenoma of the liver, 983

LOW-BEER, B. V. A. (*See* McCorkle, Low-Beer, Bell, and Stone), 409

LOWENBERG, ROBERT I. (*See* Shumacker, Jr., and Lowenberg), 79

LUNDHOLM, JOSEPH S. Internal fixation of hip fractures with a new lag screw, 703

LUNDY, JOHN S. Advances in anesthesia, 995

LYONS, CHAMP. (*See* McCafferty, Jr., and Lyons), 438

M

MACMANUS, JOSEPH E. Combined left abdominal and right thoracic approach to resection of esophageal neoplasms, 9

MADDOCK, STEPHEN. (*See* Lium and Maddock), 593

MAHONEY, EARLE B. (*See* Cohen, Taplin, and Mahoney), 392

MANHOFF, LOUIS J., JR. (*See* Poth, Manhoff, Jr., and DeLoach), 62

MARKS, EDWARD. (*See* Effler, Blades, and Marks), 917

MARTIN, BRUCE C. The use of cancellous bone grafts for small defects of skull and brow region, 103

MARTIN, J. D., JR., ROBERTSON, ROY L., AND DENNIS, EDWARD W. Anemia following resection of intestine, 819

MASSOVER, ALFRED J. (See Stewart, Massover, Potter, and Schaer), 239

MATSON, DONALD D. (*See* Ingraham, Alexander, Jr., and Matson), 518

MCCAFFERTY, E. L., JR., AND LYONS, CHAMP. Suppurative fasciitis as the essential feature of hemolytic streptococcus gangrene, 438

MCCLEERY, ROBERT S., ARTZ, CURTIS P., AND SIRAK, HOWARD D. Practical application of the heparin-caronamide reaction to the potentiation of heparin in gelatin menstruum, 348

—. (*See* Sirak, McCleery, and Artz), 811

MCCORKLE, H. J., LOW-BEER, B. V. A., BELL, H. GLENN, AND STONE, ROBERT S. Clinical and laboratory studies on the uptake of radioactive phosphorus by lesion of the breast, 409

MCDONALD, JOHN R. (*See* Haynes, Clagett, and McDonald), 120

—. (*See* Remington and McDonald), 787

MCGRAW, JOHN P., KREMEN, ARNOLD J., AND RIGLER, LEO G. The roentgen diagnosis of volvulus of the cecum, 793

MCNEER, GORDON. (*See* Pack and McNeer), 769

MEARS, FREDERICK B. (*See* Friesen, Merendino, Baronofsky, Mears, and Wangensteen), 134

MELCHIOR, EDUARD. The treatment of malignant lip furuncles with emetine, 724

MERENDINO, K. ALVIN. (*See* Friesen, Merendino, Baronofsky, Mears, and Wangensteen), 134

MEYER, KARL A. (*See* Mok, Kozoll, and Meyer), 952

MICHELE, ARTHUR A., AND KRUEGER, FREDERICK J. Patella fractures, 100

MIGLIACCIO, ANTHONY V., AND LAURELLI, EDMUND C. Pancreatic cyst, 54

MILLAR, R. GORDON. (*See* Bell and Millar), 125

MILLER, JOSEPH M., AND GINSBERG, MILTON. Chronic inflammatory intestinal obstruction due to enterobius vermicularis, 57

MOK, WA T., KOZOLL, DONALD D., AND MEYER, KARL A. Studies in nitrogen metabolism, 952
MOORE, GEORGE E., AND SMITH, MARCUS J. Intravenous cholecystography with tetraiodophthalic fluorescein, 17
MORTON, CHARLES BRUCE, II. Postcholecystectomy symptoms due to cystic duct remnant, 779
MURRAY, S. DOUGLAS. (*See* Grant and Murray), 867

N

NAGLE, PATRICK S. Onlay gauze pressure dressing, 1016
NARAT, JOSEPH K. (*See* Cipolla and Narat), 828
NECHELES, H. (*See* Scheinberg, Bralow, and Necheles), 972

O

OCHSNER, ALTON. Venous thrombosis, 445
—. (*See* Rosenberg and Ochsner), 1036

P

PACK, GEORGE T., AND MCNEER, GORDON. End results in the treatment of cancer of the stomach, 769
PADGETT, EARL C., ROBINSON, DAVID W., AND STEPHENSON, KATHRYN L. Ankylosis of the temporomandibular joint, 426
PAINE, JOHN R., AND VARCO, RICHARD L. Experiences in the surgical treatment of pulmonary stenosis, 355
PALTAUF, RUDOLF M. (See Weinberger and Paltauf), 35
PARKER, EDWARD F., AND BROWN, ALTON G. Epidermoid cyst of the spleen, 708
—, AND BURFORD, THOMAS H. Pulmonary decortication in the treatment of early pyogenic empyema, 371
PENNA, OTTO J. (*See* Price and Penna), 980
PETERS, JOHN P. The treatment of salt depletion, 568 (*E.*)
PICK, JOSEPH. (*See* Bergmann, Harman, Pick, and Wertheim), 695
PICKRELL, KENNETH L., AND CECIL, ARTHUR. The prevention of chemical sloughs, 416
PILLION, JOHN W. (*See* Greene and Pillion), 855
POSTLETHWAIT, R. W., HAGERTY, R. F., AND TRENT, J. C. Endobronchial polypoid hamartochondroma, 732
POTH, EDGAR J., MANHOFF, LOUIS J., JR., AND DELOACH, A. WILLIAM. The relation of pancreatic secretion to peptic ulcer formation, 62
POTTER, WILLIAM H. (*See* Stewart, Massover, Potter, and Schaer), 239
PRICE, EDWARD B. (*See* Kirby, Dull, Fulton, Price, and Zintel), 647
PRICE, PHILIP B., AND BONNETT, ALBERTA. The antibacterial effects of G-5, G-11, and A-151, with special reference to their use in the production of a germicidal soap, 542
PRICE, ROBERT A., AND PENNA, OTTO J. The effectiveness of drugs in preventing postoperative penile erections, 980

R

RAVDIN, I. S. A new policy, 160 (*E.*)
—. Nitrogen balance, 1035 (*E.*)
RAVITCH, MARK M. Anal ileostomy with sphincter preservation in patients requiring total colectomy for benign conditions, 170
REED, ADRIAN F., AND KIRGIS, HOMER D. A new laminectomy retractor, 860
REMINGTON, JOHN H., AND MCDONALD, JOHN R. Vascular thrombosis in acute appendicitis, 787
REYNOLDS, FRED C. (*See* Key and Reynolds), 959
REYNOLDS, JOHN T., AND YOUNG, JOHN P., JR. The use of the Roux Y in extending the operability of carcinoma of the stomach and of the lower end of the esophagus, 246
RIGLER, LEO G. (*See* McGraw, Kremen, and Rigler), 793
ROBERTSON, ROY L. (*See* Martin, Jr., Robertson, and Dennis), 819
ROBINSON, DAVID W. (*See* Padgett, Robinson, and Stephenson), 426
ROSENBERG, DENNIS M. L., AND OCHSNER, ALTON. Primary carcinoma of the liver, 1036
RUSSELL, WALTER A. (*See* Brunschwig, Dargeon, and Russell), 1010

S

SANDBLOM, PHILIP. Hemorrhage into the biliary tract following trauma—"traumatic hemobilia," 571
SANFORD, M. C. (*See* Longmire, Jr., and Sanford), 264
SAVAGE, JOHN L. (*See* Christopher and Savage), 864
SCHAER, SIDNEY M. (*See* Stewart, Massover, Potter, and Schaer), 239
SCHEINBERG, S., BRALOW, S. P., AND NECHELES, H. Experimental study of wound healing (I), 972
SCHULLER, A. Posterior cisternal drainage of the hydrocephalic third ventricle (posterior third ventriculostomy), 119
SCOTT, H. WILLIAM, JR. (*See* Longmire, Jr., and Scott, Jr.), 983
SELZER, ARTHUR. (*See* Gerbode and Selzer), 505
SHALLOW, THOMAS A., AND FRY, KENNETH E. Parathyroid adenoma, 1020
SHUMACKER, HARRIS B., JR. Causalgia (III), 485
—. Meeting of the Society of University Surgeons, 443
—. Sympathetic denervation of the extremities; operative technique, morbidity, and mortality, 304
—, AND LOWENBERG, ROBERT I. Experimental studies in vascular repair (I), 79
SIEGAL, SHEPPARD. (*See* Lesnick, Siegal, and Ginzburg), 989

SIMEONE, F. A., AND VAVOUDES, H. The early effect of lumbodorsal sympathectomy upon the response to insulin in man, 326
SINAIKO, E. (*See* Hellerstein, Sinaiko, and Dolgin), 719
SINGMASTER, LAWRENCE. A suction and feeding tube for the postoperative care of gastric resections, 621
SIRAK, HOWARD D., MCCLEERY, ROBERT S., AND ARTZ, CURTIS P. The effect of caronamide with heparin on the coagulation of human blood, 811
—. (*See* McCleery, Artz, and Sirak), 348
SLAUGHTER, DANELY P. (*See* Hoxworth and Slaughter), 188
SMALL, JOHN T., AND HIGGINS, GEORGE M. The role of pleural exudation in infection following pneumonectomy, 628
SMITH, MARCUS J. (*See* Moore and Smith), 17
SMITH, R. GLENN, AND CAMPBELL, DARRELL A. Some technical considerations in the arteriographic examination of the lower extremity, 655
STEPHENSON, KATHRYN L. (*See* Padgett, Robinson, and Stephenson), 426
STEWART, JOHN D., MASSOVER, ALFRED J., POTTER, WILLIAM H., AND SCHAER, SIDNEY M. Massive hemorrhage from gastroduodenal ulcer, 239
STONE, ROBERT S. (*See* McCorkle, Low-Beer, Bell, and Stone), 409
STRODE, J. E. Why treat gastric ulcers medically? 871 (*E.*)
STUCK, WALTER G. Traumatic dislocation of the hip, 742 (*E.*)
SULLIVAN, ALBERT, JR. Studies on one hundred fifty-one patients at the university hospital in relation to their daily weight fluctuations, 939
SWEET, RICHARD H. Carcinoma of the superior mediastinal segment of the esophagus, 929
SWENSON, ORVAR, AND BILL, ALEXANDER H., JR. Resection of rectum and rectosigmoid with preservation of the sphincter for benign spastic lesions producing megacolon, 212

T

DE TAKATS, GEZA, JULIAN, ORMAND C., AND FOWLER, EDSON F. The surgical treatment of essential hypertension (IV), 469
TAPLIN, GEORGE V. (*See* Cohen, Taplin, and Mahoney), 392
TRENT, J. C. (*See* Postlethwait, Hagerty, and Trent), 732

V

VAIL, A. DENTON. (*See* H'Doubler and Vail), 1002
VARCO, RICHARD L. (*See* Paine and Varco), 355
VAVOUDES, H. (*See* Simeone and Vavoudes), 326

W

WAGNER, MARVIN. (*See* Goldfarb and Wagner), 744
WALLACE, FURMAN T., AND COLVIN, E. M. Complications of imperforate anus repair, 832
WANGENSTEEN, OWEN H. (*See* Friesen, Merendino, Baronofsky, Mears, and Wangensteen), 134
WEINBERG, JOSEPH A. (*See* Farris, Ettinger, and Weinberg), 293
WEINBERGER, HOWARD A., AND PALTAUF, RUDOLF, M. Tumors of the small intestine, 35
WEISMANN, RODGER E. (See Dixon and Weismann), 1026
WERTHEIM, HIPPOLYTE M. (*See* Bergmann, Harman, Pick, and Wertheim), 695
WHITE, BEVERLY H., AND HARKINS, HENRY N. The treatment of experimental uremia by intestinal lavage, 90
WILD, JOHN J. The stomach as a cause of difficulty in intubating the human duodenum, 70
WILSON, HARWELL, AND CARR, DUANE. Combined cervical and thoracic approach for resection of large arteriovenous aneurysm, 342
WOLFSON, SAMUEL A., AND GOLDMAN, ALFRED. Strangulating diaphragmatic hernia of the liver, 846

Y

YOUNG, JOHN P., JR. (*See* Reynolds and Young, Jr.), 246

Z

ZINTEL, HAROLD A. (*See* Kirby, Dull, Fulton, Price, and Zintel), 647
ZOLLINGER, ROBERT M. The postwar trends in the training of the general surgeon, 161

SUBJECT INDEX*

Book reviews are indicated by *(B. Rev.)*; editorials by *(E.)*

A

A-151, G-5, and G-11, antibacterial effects of, with special reference to use in production of germicidal soap (Price and Bonnett), 542

Abdominal, left, and right thoracic approach, combined, to resection of esophageal neoplasms (Macmanus), 9

Abdominothoracic incision, combined, particularly adapted for use in total gastrectomy and esophagogastrectomy (Kremen), 605

Absorbable sponges, effect of, on infection (Cipolla and Narat), 828

Adenoma, benign, of liver (Longmire, Jr., and Scott, Jr.), 983

parathyroid (Shallow and Fry), 1020

Adenomatosis (polyposis) of colon (Hoxworth and Slaughter), 188

Agenesis or hypoplasia of lower segment, congenital atresia of esophagus with (Byron), 841

Alcohol, procaine, ether, boric acid, and other colorless solutions used in operating room, identification of; prevention of chemical sloughs (Pickrell and Cecil), 416

Alimentary canal, continuity of, technique for resection with restoration of; carcinoma of superior mediastinal segment of esophagus (Sweet), 929

Ambulatory treatment, definitive, for infected pilonidal cysts (Crile, Jr.), 677

Amino acids, route of administration of, and caloric intake, influence of, upon nitrogen balance; studies in nitrogen metabolism (Mok et al.), 952

Amputation of canine atrial appendages (Hellerstein et al.), 719

Amyloidosis, tumor-forming, of lung (Haynes et al.), 120

Anacidity and gross type of gastric carcinoma, relationship between (Helbel and Gaviser), 512

Anal ileostomy with sphincter preservation in patients requiring total colectomy for benign conditions (Raviteh), 170

Anastomosis of common bile duct, trachea, and pelvic colon, method of making tubes of polyethylene film for use in (Grindlay), 22

portacaval (Blakemore), 480

Anemia following resection of intestine (Martin, Jr., et al.), 819

Anesthesia, advances in (Lundy), 995

Aneurysm, large arteriovenous, resection of, combined cervical and thoracic approach for (Wilson and Carr), 342

Angiography, cerebral, in diagnosis of intracranial hematomas (Kristiansen), 755

Animals, experimental, and man, relationship of bone trauma to development of acute gastroduodenal lesions in (Friesen et al.), 134

Ankylosis of temporomandibular joint (Padgett et al.), 426

Antacid and detergents, effect of, on wound healing (I); experimental study of wound healing (Scheinberg et al.), 972

Antibacterial effects of G-5, G-11, and A-151, with special reference to use in production of germicidal soap (Price and Bonnett), 542

Anus repair, imperforate, complications of (Wallace and Colvin), 832

vaginal, termination of one colon into, duplication of entire colon and lower ileum, with (Brunschwig et al.), 1010

Aorta, arch of, resection of thoracic esophagus for carcinoma located above; cervical esophagogastrostomy (Garlock), 1

Aortic and pulmonic stenosis, acute effect of; experimental cardiac hypertrophy (Gerbode and Selzer), 505

Apoplexy of gall bladder (Christopher and Savage), 864

Appendages, canine atrial, amputation of (Hellerstein et al.), 719

Appendicitis, acute, vascular thrombosis in (Remington and McDonald), 787

Arterial, sutures, end-to-end, comparison of reliability of various methods of (I); experimental studies in vascular repair (Shumacker, Jr., and Lowenberg), 79

Arteriographic examination of lower extremity, some technical considerations in (Smith and Campbell), 655

Arteriovenous aneurysm, large, resection of combined cervical and thoracic approach for (Wilson and Carr), 342

Arthritis, chronic, of hip, intrapelvic obturator neurectomy for relief of (Key and Reynolds), 959

Aseptic treatment of wounds, 589 *(B. Rev.)*

Atresia, congenital, of esophagus with hypoplasia or agenesis of lower segment (Byron), 841

Atrial appendages, canine, amputation of (Hellerstein et al.), 719

B

Bag, latex, gaseous distention of, in use of single lumen intestinal tube (Lewis and Leff), 1014

Balance, nitrogen (Raydin), 1035 *(E.)*

Balloon, gastric, introduction of use of; stomach as cause of difficulty in intubating human duodenum (Wild), 70

*July, pp. 1-160; August, pp. 161-444; September, pp. 445-592; October, pp. 593-754; November, pp. 755-916; December, pp. 917-1084.

Beeswax and peanut oil, reaction to penicillin in, pseudocellulitis (Lesnick et al.), 989
Benign condition, and ileostomy with sphincter preservation in patients requiring total colectomy for (Ravitch), 170
spastic lesions producing megacolon, resection of rectum and rectosigmoid with preservation of sphincter for (Swenson and Bill, Jr.), 212
Bile duct, common, trachea, and pelvic colon, method of making tubes of polyethylene film for use on anastomosis of (Grindlay), 22
Biliary obstruction, intrahepatic cholangiojejunostomy with partial hepatectomy for (Longmire, Jr., and Sanford), 264
tract, hemorrhage into, following trauma—"traumatic hemobilia" (Sandblom), 571
Billroth I-Shoemaker operation; gastric resection (Higginson and Clagett), 613
Bladder, exstrophy of, bilateral ureterosigmoidostomy for, polyps of sigmoid occurring thirty years after (Dixon and Weismann), 1026
Blood, human, coagulation of, effect of caronamide with heparin on (Sirak et al.), 811
sugar level, fasting, in patients with hypertension; early effect of lumbodorsal sympathectomy upon response to insulin in man (Simeone and Vavoudes), 330
vessels, method for puncturing, located and exposed by incision (Lamm), 653
Bone grafts, cancellous, use of, for small defects of skull and brow region (Martin), 103
trauma, relationship of, to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 134
Book reviews, 589-592
Books received, 590-592
Boric acid, procaine, alcohol, ether, and other colorless solutions commonly used in operating room, identification of; prevention of chemical sloughs (Pickrell and Cecil), 416
Breast, lesions of, clinical and laboratory studies on uptake of radioactive phosphorus by (McCorkle et al.), 409
Brow region and skull, use of cancellous bone grafts for small defects of (Martin), 103

C

Caloric intake and route of administration of amino acids, influence of, upon nitrogen balance; studies in nitrogen metabolism (Mok et al.), 952
Canal, alimentary, technique for resection with restoration of continuity of; carcinoma of superior mediastinal segment of esophagus (Sweet), 929
Cancellous bone grafts, use of, for small defects of skull and brow region (Martin), 103
Cancer of colon, role of hypertrophy of muscularis in delayed onset of symptoms in (Gius), 221
of stomach, end results in treatment of (Pack and McNeer), 769
Canine atrial appendages, amputation of (Hellerstein et al.), 719
Carcinoma, gastric, gross type and anacidity, relationship between (Hebbel and Gaviser), 512
located above arch of aorta, resection of thoracic esophagus for; cervical esophagogastrostomy (Garlock), 1
multiple primary (H'Doubler and Vail), 1002
of stomach and lower end of esophagus, use of Roux Y in extending operability of (Reynolds and Young, Jr.), 246
of superior mediastinal segment of esophagus (Sweet), 929
of thyroid gland, significance of hemoptysis in (Grimes and Bell), 401
primary, of liver (Rosenberg and Ochsner), 1036
Cardiac hypertrophy, experimental (Gerbode and Selzer), 505
Caronamide-heparin reaction, practical application of, to potentiation of heparin in gelatin menstruum (McCleery et al.), 348
Caronamide with heparin, effect of, on coagulation of human blood (Sirak et al.), 811
Causalgia (III) (Shumacker, Jr.), 485
Cecum, volvulus of, roentgen diagnosis of (McGraw et al.), 793
Cerebral angiography in diagnosis of intracranial hematomas (Kristiansen), 755
Cervical and thoracic approach, combined, for resection of large arteriovenous aneurysm (Wilson and Carr), 342
esophagogastrostomy; resection of thoracic esophagus for carcinoma located above arch of aorta (Garlock), 1
Chemical sloughs, prevention of (Pickrell and Cecil), 416
Cholangiojejunostomy, intrahepatic, with partial hepatectomy for biliary obstruction (Longmire, Jr., and Sanford), 264
Cholecystography, intravenous, with tetraiodophthalic fluorescein (Moore and Smith), 17
Cirrhosis; primary carcinoma of liver (Rosenberg and Ochsner), 1041
Cisternal drainage, posterior, of hydrocephalic third ventricle (posterior third ventriculostomy), (Schuller), 119
Clinical and laboratory studies on uptake of radioactive phosphorus by lesions of breast (McCorkle et al.), 409
investigation and evaluation of four hundred sixteen cases consecutively operated upon for peptic ulcer (Gaviser), 873
studies in craniosynostosis (Ingraham et al.), 518

Closure, premature, of sagittal suture; clinical studies in craniosynostosis (Ingraham et al.), 521
Coagulation of human blood, effect of caronamide with heparin on (Sirak et al.), 811
Colectomy, total, for benign conditions, anal ileostomy with sphincter preservation in patients requiring (Ravitch), 170
Colon, cancer of, role of hypertrophy of muscularis in delayed onset of symptoms in (Gius), 221
entire, and lower ileum, duplication of, with termination of one colon into vaginal anus (Brunschwig et al.), 1010
pelvic, common bile duct, and trachea, method of making tubes of polyethylene film for use in anastomosis of (Grindlay), 22
polyposis (adenomatosis) of (Hoxworth and Slaughter), 188
Common bile duct, trachea, and pelvic colon, method of making tubes of polyethylene film for use in anastomosis of (Grindlay), 22
Compound transverse fracture of maxilla (Cubero), 109
Congenital macroglossia (Bell and Millar), 125
Contaminated, sutured wounds, effect of streptomycin, local and systemic, on (Kirby et al.), 647
Continuous subcutaneous or intravenous administration of histamine, production of gastroduodenal ulcers in dog by (Hanson et al.), 944
Cooper's ligament and transversalis fascia, value derived from utilizing component parts of, in repair of large indirect and direct inguinal hernia (Donald), 662
Craniosynostosis, clinical studies in (Ingraham et al.), 518
Cruciate ligament, anterior, ganglion of (Levine), 836
Cyst, epidermoid, of spleen (Parker and Brown), 708
formation in old hematoma, sciatica caused by (Herz), 714
pancreatic (Migliaccio and Laurelli), 54
Cystic duct remnant, postcholecystectomy symptoms due to (Morton, H), 779
Cysts, infected pilonidal, definitive ambulatory treatment of (Crile, Jr.), 677

D

Decortication, pulmonary, in treatment of early pyogenic empyema (Parker and Burford), 371
Decubitus ulcer, ischial (Bors and Comarr), 680
Defects, small, of skull and brow region, use of cancellous bone grafts for (Martin), 103
Denervation, sympathetic, of extremities; operative technique, morbidity, and mortality (Shumacker, Jr.), 304
Depletion, salt, treatment of (Peters), 568 (*E.*)
Detergents and antacid, effect of, on wound healing (I); experimental study of wound healing (Scheinberg et al.), 972
Diabetes, pancreatectomy, and ligation of pancreatic ducts, effect of, on production of histamine-induced ulcers in dog; relation of pancreatic secretion to peptic ulcer formation (Poth et al.), 62
Diagnosis, roentgen, of volvulus of cecum (McGraw et al.), 793
Diaphragmatic hernia following subdiaphragmatic vagotomy (Beal), 625
strangulating, of liver (Wolfson and Goldman), 846
Dilute pentothal drip infusion (Greene and Pillion), 855
Dislocation, traumatic, of hip (Stuck), 742 (*E.*)
Dissection, inguinal node, technique of (Baronofsky), 555
Distention, gaseous, of latex bag in use of single lumen intestinal tube (Lewis and Leff), 1014
Diverticulitis, management of ileosigmoidal fistula in (Best), 30
Dog, effect of pancreatectomy, ligation of pancreatic ducts, and diabetes on production of histamine-induced ulcers in; relation of pancreatic secretion of peptic ulcer formation (Poth et al.), 62
Dogs, lungs of, effects of supine position upon ventilation of (Drinker and Hardenbergh), 113
Drainage, internal, utilizing Roux principle; pancreatic cyst (Migliaccio and Laurelli), 54
posterior cisternal, of hydrocephalic third ventricle (posterior third ventriculostomy) (Schuller), 119
Dressing, pressure, onlay gauze (Nagle), 1016
Drip infusion, dilute pentothal (Greene and Pillion), 855
Drugs, effectiveness of, in preventing postoperative penile erections (Price and Penna), 980
Duct, common bile, trachea, and pelvic colon, method of making tubes of polyethylene film for use in anastomosis of (Grindlay), 22
injuries, thoracic, surgical management of (Hodge and Bridges), 805
remnant, cystic, postcholecystectomy symptoms due to (Morton, H), 779
Duodenal or gastric ulcer, severe hemorrhage from, indication for emergency operation in (Dunphy and Hoerr), 231
Duodenum, human, stomach as cause of difficulty in intubating (Wild), 70
Duplication of entire colon and lower ileum, with termination of one colon into vaginal anus (Brunschwig et al.), 1010

E

Editorials, 160, 568, 742, 871, 1035
Emboli, fat, role of, in realtionship of bone trauma to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 134
Emergency operation, indication for, in severe hemorrhage from gastric or duodenal ulcer (Dunphy and Hoerr), 231
Emetine, treatment of malignant lip furuncles with (Melchior), 724
Empyema, early pyogenic, pulmonary decortication in treatment of (Parker and Burford), 371
Endobronchial polypoid hamartochondroma (Postlethwait et al.), 732
Enema, perforation of sigmoid following (Grant and Murray), 867
Enterobius vermicularis, chronic inflammatory intestinal obstruction due to (Miller and Ginsberg), 57
Epidermoid cyst of spleen (Parker and Brown), 708
Erections, postoperative penile, effectiveness of drugs in preventing (Price and Penna), 980
Erosion and/or ulcer, gastroduodenal, complicating fracture of long bones in man; relationship of bone trauma to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 136
Esophageal neoplasms, resection of, combined left abdominal and right thoracic approach to (Maemanus), 9
Esophagogastrectomy and total gastrectomy, combined abdominothoracic incision particularly adapted for use in (Kremen), 605
Esophagogastrostomy, cervical; resection of thoracic esophagus for carcinoma located above arch of aorta (Garlock), 1
Esophagus, carcinoma of superior mediastinal segment of (Sweet), 929
congenital atresia of, with hypoplasia or agenesis of lower segment (Byron), 841
lower end, and stomach, carcinoma of, use of Roux Y in extending operability of (Reynolds and Young, Jr.), 246
thoracic, resection of, for carcinoma located above arch of aorta: cervical esophagogastrostomy (Garlock), 1
Ether, procaine, alcohol, boric acid, and other colorless solutions commonly used in operating room, identification of; prevention of chemical sloughs (Pickrell and Cecil), 416
Etiology of acute pancreatitis (Lium and Maddock), 593
Experimental studies in vascular repair (I) (Shumacker, Jr., and Lowenberg), 79
uremia, treatment of, by intestinal lavage (White and Harkins), 90
Exstrophy of bladder, bilateral ureterosigmoidostomy for, polyps of sigmoid occurring thirty years after (Dixon and Weismann), 1026
Extremities, lower and upper; analysis of treatment of trophic ulcers (Goldfarb and Wagner), 744
sympathetic denervation of; operative technique, morbidity, and mortality (Shumacker, Jr.), 304
Extremity, lower, postthrombotic syndrome of (Linton and Hardy, Jr.), 452
some technical considerations in arteriographic examination of (Smith and Campbell), 655
Exudation, pleural, role of, in infection following pneumonectomy (Small and Higgins), 628

F

Fascia, transversalis, and Cooper's ligament, value derived from utilizing component parts of, in repair of large indirect and direct inguinal hernia (Donald), 662
Fasciitis, suppurative, as essential feature of hemolytic streptococcus gangrene (McCafferty, Jr., and Lyons), 438
Fat emboli, role of, in relationship of bone trauma to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 134
Feeding and suction tube for postoperative care of gastric resections (Singmaster), 621
Femoral and obturator nerves, simple combined approach to (Freeman), 968
vein, superficial, interruption of, and ligation and stripping of long and short saphenous veins, treatment by; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
Fingers, tendon repair in, application of myotomy to (Blum), 999
Fistula, ileosigmoidal, management of, in diverticulitis (Best), 30
Fixation, internal, of hip fractures, with new lag screw (Lundholm), 703
zygomatic, for compound transverse fracture of maxilla (Cubero), 109
Fluctuations, daily weight, studies on one hundred fifty-one patients at university hospital in relation to (Sullivan, Jr.), 939
Fluorescein, tetraiodophthalic, intravenous cholecystography with (Moore and Smith), 17
Food intake, effect of nitrogen intake upon; studies in nitrogen metabolism (Mok et al.), 952
Fracture, compound transverse, of maxilla (Cubero), 109
Fractures, hip, internal fixation of, with new lag screw (Lundholm), 703
patella (Michele and Krueger), 100
Furuncles, malignant lip, treatment of, with emetine (Melchior), 724

G

G-5, G-11, and A-151, antibacterial effects of, with special reference to use in production of germicidal soap (Price and Bonnett), 542
Gall bladder, apoplexy of (Christopher and Savage), 864
Ganglia, sympathetic, surgically removed, histology of (Bergmann et al.), 695
Ganglion of anterior cruciate ligament (Levine), 836
Gangrene, hemolytic streptococcus, suppurative fasciitis as essential feature of (McCafferty, Jr., and Lyons), 438
Gaseous distention of latex bag in use of single lumen intestinal tube (Lewis and Leff), 1014
Gastrectomy, total, and esophagogastrectomy, combined abdominothoracic incision particularly adapted for use in (Kremen), 605
Gastric balloon, introduction of use of; stomach as cause of difficulty in intubating human duodenum (Wild), 70
  cancer, resectability of; end results in treatment of cancer of stomach (Pack and McNeer), 770
  carcinoma, gross type, and anacidity, relationship between (Hebbel and Gaviser), 512
  or duodenal ulcer, severe hemorrhage from, indication for emergency operation in (Dunphy and Hoerr), 231
  resection, postoperative care of, suction and feeding tube for (Singmaster), 621
    Shoemaker-Billroth I operation (Higginson and Clagett), 613
  resections, extent of, in cases operated upon for peptic ulcer (Gaviser), 885
  ulcers, why treat medically? (Strode), 871 (*E.*)
Gastroduodenal lesions, acute, relationship of bone trauma to development of, in experimental animals and in man (Friesen et al.), 134
  ulcer, massive hemorrhage from (Stewart et al.), 239
  ulcers, production of, in dog by continuous subcutaneous or intravenous administration of histamine (Hanson et al.), 944
Gauze pressure dressing, onlay (Nagle), 1016
Gelatin menstruum, practical application of heparin-caronamide reaction to potentiation of heparin in (McCleery et al.), 348
Germicidal soap, production of, antibacterial effects of G-5, G-11, and A-151, with special reference to use in (Price and Bonnett), 542
Gland, thyroid, carcinoma of, significance of hemoptysis in (Grimes and Bell), 401
Grafts, cancellous bone, use of, for small defects of skull and brow region (Martin), 103
Gross type of gastric carcinoma and anacidity, relationship between (Hebbel and Gaviser), 512

H

Hamartochondroma, endobronchial polypoid (Postlethwait et al.), 732
Healing, wound, experimental study of (I) (Scheinberg et al.), 972
Hematoma, old, sciatica caused by cyst formation in (Herz), 714
Hematomas, intracranial, cerebral angiography in diagnosis of (Kristiansen), 755
"Hemobilia, traumatic"—hemorrhage into biliary tract following trauma (Sandblom), 571
Hemolytic streptococcus gangrene, suppurative fasciitis as essential feature of (McCafferty, Jr., and Lyons), 438
Hemoptysis in carcinoma of thyroid gland, significance of (Grimes and Bell), 401
Hemorrhage into biliary tract following trauma—"traumatic hemobilia" (Sandblom), 571
  massive, from gastroduodenal ulcer (Stewart et al.), 239
  severe, from gastric or duodenal ulcer, indication for emergency operation in (Dunphy and Hoerr), 231
Heparin-caronamide reaction, practical application of, to potentiation of heparin in gelatin menstruum (McCleery et al.), 348
  caronamide with, effect of, on coagulation of human blood (Sirak et al.), 811
  neutralization of, by protamine (Cowley and Lam), 97
Hepatectomy, partial, intrahepatic cholangiojejunostomy with, for biliary obstruction (Longmire, Jr., and Sanford), 264
Hernia, diaphragmatic, following subdiaphragmatic vagotomy (Beal), 625
  large indirect and direct inguinal, value derived from utilizing component parts of transversalis fascia and Cooper's ligament in repair of (Donald), 662
  problem, with reference to modification of McVay technique (Farris et al.), 293
  strangulating diaphragmatic, of liver (Wolfson and Goldman), 846
Hip, chronic arthritis of, intrapelvic obturator neurectomy for relief of (Key and Reynolds), 959
  fractures, internal fixation of, with new lag screw (Lundholm), 703
  traumatic dislocation of (Stuck), 742 (*E.*)
Histamine, continuous subcutaneous or intravenous administration of, production of gastroduodenal ulcers in dog by (Hanson et al.), 944
  -induced ulcers in dog, effect of pancreatectomy, ligation of pancreatic ducts, and diabetes on production of; relation of pancreatic secretion to peptic ulcer formation (Poth et al.), 62
Histology of surgically removed sympathetic ganglia (Bergmann et al.), 695
Human duodenum, stomach as cause of difficulty in intubating (Wild), 70

Hydrocephalic third ventricle (posterior third ventriculostomy), posterior cisternal drainage of (Schuller), 119
Hypertension, essential, surgical treatment of (IV) (de Takats et al.), 469
fasting blood sugar level in patients with; early effect of lumbodorsal sympathectomy upon response to insulin in man (Simeone and Vavoudes), 330
Hypertrophy, experimental cardiac (Gerbode and Selzer), 505
of muscularis, role of, in delayed onset of symptoms in cancer of colon (Gius), 221
Hypoplasia or agenesis of lower segment, congenital atresia of esophagus with (Byron), 841

I

Identification of procaine alcohol, ether, boric acid, and other colorless solutions commonly used in operating room; prevention of chemical sloughs (Pickrell and Cecil), 416
Ileosigmoidal fistula, management of, in diverticulitis (Best), 30
Ileostomy, anal, with sphincter preservation in patients requiring total colectomy for benign conditions (Ravitch), 170
Ileum, lower, and entire colon, duplication of, with termination of one colon into vaginal anus (Brunschwig et al.), 1010
Imperforate anus repair, complications of (Wallace and Colvin), 832
In memoriam: Albert O. Singleton (Blocker, Jr.), 587
Incision, combined abdominothoracic, particularly adapted for use in total gastrectomy and esophagogastrectomy (Kremen), 605
method for puncturing blood vessels, located and exposed by (Lamm), 653
Infection, effect of absorbable sponges on (Cipolla and Narat), 828
following pneumonectomy, role of pleural exudation in (Small and Higgins), 628
postoperative pulmonary, inhalation of micropowdered penicillin and streptomycin in prevention of (Cohen et al.), 392
Inflammatory intestinal obstruction, chronic, due to enterobius vermicularis (Miller and Ginsberg), 57
Infusion, dilute pentothal drip (Greene and Pillion), 855
Inguinal hernia, indirect; hernia problem, with reference to modification of McVay technique (Farris et al.), 293
large indirect and direct, value derived from utilizing component parts of transversalis fascia and Cooper's ligament in repair of (Donald), 662
node dissection, technique of (Baronofsky), 555
Inhalation of micropowdered penicillin and streptomycin in prevention of postoperative pulmonary infection (Cohen et al.), 392
Injuries, thoracic duct, surgical management of (Hodge and Bridges), 805
Insulin in man, response to, early effect of lumbodorsal sympathectomy upon (Simeone and Vavoudes), 326
Interruption of superficial femoral vein and ligation and stripping of long and short saphenous veins, treatment by; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
Intestinal lavage, treatment of experimental uremia by (White and Harkins), 90
obstruction, chronic inflammatory, due to enterobius vermicularis (Miller and Ginsberg), 57
tube, single lumen, gaseous distention of latex bag in use of (Lewis and Leff), 1014
Intestine, resection of, anemia following (Martin, Jr., et al.), 819
small, tumors of (Weinberger and Paltauf), 35
Intolerance, postoperative food, in cases operated upon for peptic ulcer (Gaviser), 905
Intracranial hematomas, cerebral angiography in diagnosis of (Kristiansen), 755
Intrahepatic cholangiojejunostomy with partial hepatectomy for biliary obstruction (Longmire, Jr., and Sanford), 264
Intrapelvic obturator neurectomy for relief of chronic arthritis of hip (Key and Reynolds), 959
Intravenous cholecystography with tetraiodophthalic fluorescein (Moore and Smith), 17
or subcutaneous, continuous, administration of histamine, production of gastroduodenal ulcers in dog by (Hanson et al.), 944
Intubating human duodenum, stomach as cause of difficulty in (Wild), 70
Ischial decubitus ulcer (Bors and Comarr), 680

J

Joint, temporomandibular, ankylosis of (Padgett et al.), 426

L

Laboratory and clinical studies on uptake of radioactive phosphorus by lesions of breast (McCorkle et al.), 409
Lag screw, new, internal fixation of hip fractures with (Lundholm), 703
Laminectomy retractor, new (Reed and Kirgis), 860
Latex bag, gaseous distention of, in use of single lumen intestinal tube (Lewis and Leff), 1014
Lavage, intestinal, treatment of experimental uremia by (White and Harkins), 90

Lesions, acute gastroduodenal, relationship of bone trauma to development of, in experimental animals and in man (Friesen et al.), 134
benign spastic, producing megacolon, resection of rectum and rectosigmoid with preservation of sphincter for (Swenson and Bill, Jr.), 212
of breast, clinical and laboratory studies on uptake of radioactive phosphorus by (McCorkle et al.), 409
Ligament, anterior cruciate, ganglion of (Levine), 836
Cooper's, and transversalis fascia, value derived from utilizing component parts of, in repair of large indirect and direct inguinal hernia (Donald), 662
Ligation and stripping of long and short saphenous veins, treatment by interruption of superficial femoral vein and; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
of pancreatic ducts, pancreatectomy, and diabetes, effect of, on production of histamine-induced ulcers in dog; relation of pancreatic secretion to peptic ulcer formation (Poth et al.), 62
Lip furuncles, malignant, treatment of, with emetine (Melchior), 724
Lipoma of thenar (Aldredge and Halpert), 853
Liver, benign adenoma of (Longmire, Jr., and Scott, Jr.), 983
primary carcinoma of (Rosenberg and Ochsner), 1036
strangulating diaphragmatic hernia of (Wolfson and Goldman), 846
Lobes, both right and left, successful surgical resection of tumor involving; benign adenoma of liver (Longmire, Jr., and Scott, Jr.), 983
Lumbodorsal sympathectomy, early effect of upon response to insulin in man (Simeone and Vavoudes), 326
Lumen intestinal tube, single, gaseous distention of latex bag in use of (Lewis and Leff), 1014
Lung, tumor-forming amyloidosis of (Haynes et al.), 120
tumors, solitary, problem of (Effler et al.), 917
Lungs of dogs, effects of supine position upon ventilation of (Drinker and Hardenbergh), 113

M

Macroglossia, congenital (Bell and Millar), 125
Malignant lip furuncles, treatment of, with emetine (Melchior), 724
Man and experimental animals, relationship of bone trauma to development of acute gastroduodenal lesions in (Friesen et al.), 134
insulin in, early effect of lumbodorsal sympathectomy upon response to (Simeone and Vavoudes), 326
Maxilla, compound transverse fracture of (Cubero), 109
McVay technique, modification of, hernia problem, with reference to (Farris et al.), 293
Mediastinal segment, superior, of esophagus, carcinoma of (Sweet), 929
Meetings, recent, review of, 443
Megacolon, benign spastic lesions producing, resection of rectum and rectosigmoid with preservation of sphincter for (Swenson and Bill, Jr.), 212
Menstruum, gelatin, practical application of heparin-caronamide reaction to potentiation of heparin in (McCleery et al.), 348
Metabolism, nitrogen, studies in (Mok et al.), 952
Metastases; primary carcinoma of liver (Rosenberg and Ochsner), 1051
Micropowdered penicillin and streptomycin, inhalation of, in prevention of postoperative pulmonary infection (Cohen et al.), 392
Mortality, morbidity, and operative technique; sympathetic denervation of extremities (Shumacker, Jr.), 304
Multiple primary carcinoma (H'Doubler and Vail), 1002
Muscularis, role of hypertrophy of, in delayed onset of symptoms in cancer of colon (Gius), 221
Myotomy, application of, to tendon repair in fingers (Blum), 999

N

Neoplasms, esophageal, resection of, combined left abdominal and right thoracic approach to (Macmanus), 9
Nerves, obturator and femoral, simple combined approach to (Freeman), 968
Neurectomy, intrapelvic obturator, for relief of chronic arthritis of hip (Key and Reynolds), 959
Neutralization of heparin by protamine (Cowley and Lam), 97
Nitrogen balance (Ravdin), 1035 *(E.)*
metabolism, studies in (Mok et al.), 952
Node dissection, inguinal, technique of (Baronofsky), 555
Nodular carcinoma; primary carcinoma of liver (Rosenberg and Ochsner), 1049

O

Obstruction, biliary, intrahepatic cholangiojejunostomy with partial hepatectomy for (Longmire, Jr., and Sanford), 264
Obturator and femoral nerves, simple combined approach to (Freeman), 968
neurectomy, intrapelvic, for relief of chronic arthritis of hip (Key and Reynolds), 959
Omentum, greater, primary sarcoma of (Cunningham), 739
Omphaloceles, large, new method for surgical treatment of (Gross), 277
Onlay gauze pressure dressing (Nagle), 1016

Operability of carcinoma of stomach and of lower end of esophagus, use of Roux Y in extending (Reynolds and Young, Jr.), 246

Operation, emergency, indication for, in severe hemorrhage from gastric or duodenal ulcer (Dunphy and Hoerr), 231

Operative technique, morbidity, and mortality; sympathetic denervation of extremities (Shumacker, Jr.), 304

P

Pain, mechanism; causalgia (III) (Shumacker, Jr.), 499

Pancreatic cyst (Migliaccio and Laurelli), 54

secretion, relation of, to peptic ulcer formation (Poth et al.), 62

Pancreatitis, acute, etiology of (Lium and Maddock), 593

Parathyroid adenoma (Shallow and Fry), 1020

Patella fractures (Michele and Krueger), 100

Patients at university hospital, studies on one hundred fifty-one, in relation to daily weight fluctuations (Sullivan, Jr.), 939

Peanut oil and beeswax, reaction to penicillin in, pseudocellulitis (Lesnick et al.), 989

Pelvic colon, common bile duct, and trachea, method of making tubes of polyethylene film for use in anastomosis of (Grindlay), 22

Penicillin in peanut oil and beeswax, pseudocellulitis, reaction to (Lesnick et al.), 989

micropowdered, and streptomycin, inhalation of, in prevention of postoperative pulmonary infection (Cohen et al.), 392

Penile erections, postoperative, effectiveness of drugs in preventing (Price and Penna), 980

Pentothal drip infusion, dilute (Greene and Pillion), 855

Peptic ulcer, clinical investigation and evaluation of four hundred sixteen cases consecutively operated upon for (Gaviser), 873

formation, relation of pancreatic secretion to (Poth et al.), 62

Perforation of sigmoid following enema (Grant and Murray), 867

Phosphorus, radioactive, uptake of, by lesions of breast, clinical and laboratory studies on (McCorkle et al.), 409

Pilonidal cysts, infected, definitive ambulatory treatment for (Crile, Jr.), 677

Pneumonectomy, infection following, role of pleural exudation in (Small and Higgins), 628

Policy, new (Ravdin), 160 *(E.)*

Polyethylene film, method of making tubes of, for use in anastomosis of common bile duct, trachea, and pelvic colon (Grindlay), 22

Polypoid hamartochondroma, endobronchial (Postlethwait et al.), 732

Polyposis (adenomatosis) of colon (Hoxworth and Slaughter), 188

Polyps of sigmoid occurring thirty years after bilateral ureterosigmoidostomy for exstrophy of bladder (Dixon and Weismann), 1026

Portacaval anastomosis (Blakemore), 480

Position, supine, effects of, upon ventilation of lungs of dogs (Drinker and Hardenbergh), 113

Postcholecystectomy symptoms due to cystic duct remnant (Morton, H), 779

Postoperative care of gastric resections, suction and feeding tube for (Singmaster), 621

Postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452

Postwar trends in training of general surgeon (Zollinger), 161

Premature closure of sagittal suture; clinical studies in craniosynostosis (Ingraham et al.), 521

Preservation, sphincter, anal ileostomy with, in patients requiring total colectomy for benign conditions (Ravitch), 170

Pressure dressing, onlay gauze (Nagle), 1016

Primary carcinoma, multiple (H'Doubler and Vail), 1002

Procaine, alcohol, ether, boric acid, and other colorless solutions commonly used in operating room, identification of; prevention of chemical sloughs (Pickrell and Cecil), 416

Protamine, neutralization of heparin by (Cowley and Lam), 97

Pseudocellulitis, reaction to penicillin in peanut oil and beeswax (Lesnick et al.), 989

Pulmonary decortication in treatment of early pyogenic empyema (Parker and Burford), 371

infection, postoperative, inhalation of micropowdered penicillin and streptomycin in prevention of (Cohen et al.), 392

stenosis, experiences in surgical treatment of (Paine and Varco), 355

Pulmonic and aortic stenosis, acute effect of; experimental cardiac hypertrophy (Gerbode and Selzer), 505

Puncturing blood vessels, method for, located and exposed by incision (Lamm), 653

Pyogenic empyema, early, pulmonary decortication in treatment of (Parker and Burford), 371

R

Radioactive phosphorus, uptake of, by lesions of breast, clinical and laboratory studies on (McCorkle et al.), 409

Reaction, heparin-caronamide, practical application of, to potentiation of heparin in gelatin menstruum (McCleery et al.), 348

Rectum and rectosigmoid, resection of, with preservation of sphincter for benign spastic lesions producing megacolon (Swenson and Bill, Jr.), 212
Remnant, cystic duct, postcholecystectomy symptoms due to (Morton, II), 779
Repair, imperforate anus, complications of (Wallace and Colvin), 832
of large indirect and direct inguinal hernia, value derived from utilizing component parts of transversalis fascia and Cooper's ligament in (Donald), 662
vascular, experimental studies in (I) (Shumacker, Jr., and Lowenberg), 79
Resectability of gastric cancer; end results in treatment of cancer of stomach (Pack and McNeer), 770
Resection, case with; primary carcinoma of liver (Rosenberg and Ochsner), 1036
gastric; Shoemaker-Billroth I operation (Higginson and Clagett), 613
of esophageal neoplasms, combined left abdominal and right thoracic approach to (Macmanus), 9
of intestine, anemia following (Martin, Jr., et al.), 819
of large arteriovenous aneurysm, combined cervical and thoracic approach for (Wilson and Carr), 342
of rectum and rectosigmoid with preservation of sphincter for benign spastic lesions producing megacolon (Swenson and Bill, Jr.), 212
of thoracic esophagus for carcinoma located above arch of aorta; cervical esophagogastrostomy (Garlock), 1
successful surgical, of tumor involving both right and left lobes; benign adenoma of liver (Longmire, Jr., and Scott, Jr.), 983
technique for, with restoration of continuity of alimentary canal; carcinoma of superior mediastinal segment of esophagus (Sweet), 929
Resections, gastric, postoperative care of, suction and feeding tube for (Singmaster), 621
Responses, maximum, intermediate, minimal; effect of caronamide with heparin on coagulation of human blood (Sirak et al.), 812
Retractor, new laminectomy (Reed and Kirgis), 860
Review of recent meetings, 443
Roentgen diagnosis of volvulus of cecum (McGraw et al.), 793
Roux principle, internal drainage utilizing; pancreatic cyst (Migliaccio and Laurelli), 54
Roux Y, use of, in extending operability of carcinoma of stomach and of lower end of esophagus (Reynolds and Young, Jr.), 246

S

Salt depletion, treatment of (Peters), 568 *(E.)*
Saphenous veins, long and short, treatment by interruption of superficial femoral vein and ligation and stripping of; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
Sarcoma, primary, of greater omentum (Cunningham), 739
Sciatica caused by cyst formation in old hematoma (Herz), 714
Screw, new lag, internal fixation of hip fractures with (Lundholm), 703
Secretion, pancreatic, relation of, to peptic ulcer formation (Poth et al.), 62
Segment, lower congenital atresia of esophagus with hypoplasia or agenesis of (Byron), 841
Shoemaker-Billroth I operation; gastric resection (Higginson and Clagett), 613
Sigmoid, perforation of, following enema (Grant and Murray), 867
polyps of, occurring thirty years after bilateral ureterosigmoidostomy for exstrophy of bladder (Dixon and Weismann), 1026
Singleton, Albert O., in memoriam (Blocker, Jr.), 587
Skull and brow region, use of cancellous bone grafts for small defects in (Martin), 103
Sloughs, chemical, prevention of (Pickrell and Cecil), 416
Small intestine, tumors of (Weinberger and Paltauf), 35
Soap, germicidal, production of, antibacterial effects of G-5, G-11 and A-151, with special reference to use in (Price and Bonnett), 542
Society for Vascular Surgery, 445-511
of University Surgeons, 161-444
meeting of (Shumacker, Jr.), 443
Solutions, other colorless, procaine, alcohol, ether, boric acid, commonly used in operating room, identification of; prevention of chemical sloughs (Pickrell and Cecil), 416
Spastic lesions, benign, producing megacolon, resection of rectum and rectosigmoid with preservation of sphincter for (Swenson and Bill, Jr.), 212
Sphincter preservation, anal ileostomy with, in patients requiring total colectomy for benign conditions (Ravitch), 170
of, resection of rectum and rectosigmoid with, for benign spastic lesions producing megacolon (Swenson and Bill, Jr.), 212
Spleen, epidermoid cyst of (Parker and Brown), 708
Sponges, absorbable, effect of, on infection (Cipolla and Narat), 828
Stenosis, pulmonary, experiences in surgical treatment of (Paine and Varco), 355
pulmonic and aortic, acute effect of; experimental cardiac hypertrophy (Gerbode and Selzer), 505

Stomach and lower end of esophagus, carcinoma of, use of Roux Y in extending operability of (Reynolds and Young Jr., 246
as cause of difficulty in intubating human duodenum (Wild), 70
cancer of, end results in treatment of (Pack and McNeer), 769
Strangulating diaphragmatic hernia of liver (Wolfson and Goldman), 846
Streptococcus gangrene, hemolytic suppurative fasciitis as essential feature of (McCafferty, Jr., and Lyons), 438
Streptomycin and micropowdered penicillin, inhalation of, in prevention of postoperative pulmonary infection (Cohen et al.), 392
local and systemic, effect of, on contaminated, sutured wounds (Kirby et al.), 647
Stripping and ligation of long and short saphenous veins, treatment by interruption of superficial femoral vein and; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
Subcutaneous or intravenous, continuous, administration of histamine, production of gastroduodenal ulcers in dog by (Hanson et al.), 944
Subdiaphragmatic vagotomy, diaphragmatic hernia following (Beal), 625
Suction and feeding tube for postoperative care of gastric resections (Singmaster), 621
Sugar level, fasting blood, in patients with hypertension; early effect of lumbodorsal sympathectomy upon response to insulin in man (Simeone and Vavoudes), 330
Supine position, effects of, upon ventilation of lungs of dogs (Drinker and Hardenbergh), 113
Suppurative fasciitis as essential feature of hemolytic streptococcus gangrene (McCafferty, Jr., and Lyons), 438
Surgeon, general, postwar trends in training of (Zollinger), 161
Surgeons, University, meeting of Society of (Shumacker, Jr.), 443
Surgical management of thoracic duct injuries (Hodge and Bridges), 805
treatment, description of method of; clinical studies in craniosynostosis (Ingraham et al.), 518
of essential hypertension (IV) (de Takats et al.), 469
of large omphaloceles, new method for (Gross), 277
of pulmonary stenosis, experiences in (Paine and Varco), 355
Surgically removed sympathetic ganglia, histology of (Bergmann et al.), 695
Suture, sagittal, premature closure of; clinical studies in craniosynostosis (Ingraham et al.), 521
Sutured, contaminated wounds, effect of streptomycin, local and systemic, on (Kirby et al.), 647
Sutures, end-to-end arterial, comparison of reliability of various methods of (I); experimental studies in vascular repair (Shumacker, Jr., and Lowenberg), 79
Sympathectomy, lumbodorsal, early effect of, upon response to insulin in man (Simeone and Vavoudes), 326
Sympathetic denervation of extremities; operative technique, morbidity, and mortality (Shumacker, Jr.), 304
ganglia, surgically removed, histology of (Bergmann et al.), 695
Symptoms, delayed onset of, in cancer of colon, role of hypertrophy of muscularis in (Gius), 221
postcholecystectomy, due to cystic duct remnant (Morton, H), 779
Syndrome, postthrombotic, of lower extremity (Linton and Hardy, Jr.), 452

T

Technique, McVay, modification of, hernia problem, with reference to (Farris et al.), 293
operative, morbidity, and mortality; sympathetic denervation of extremities (Shumacker, Jr.), 304
Temporomandibular joint, ankylosis of (Padgett et al.), 426
Tendon repair in fingers, application of myotomy to (Blum), 999
Tetraiodophthalic fluorescein, intravenous cholecystography with (Moore and Smith), 17
Thenar, lipoma of (Aldredge and Halpert), 853
Thoracic and cervical approach, combined, for resection of large arteriovenous aneurysm (Wilson and Carr), 342
duct injuries, surgical management of (Hodge and Bridges), 805
esophagus, resection of, for carcinoma located above arch of aorta: cervical esophagogastrostomy (Garlock), 1
right, and abdominal, left, approach, combined, to resection of esophageal neoplasms (Macmanus), 9
Thrombosis, vascular, in acute appendicitis (Remington and McDonald), 787
venous (Ochsner), 445
Thyroid gland, carcinoma of, significance of hemoptysis in (Grimes and Bell), 401
Trachea, pelvic colon, and common bile duct, method of making tubes of polyethylene film for use in anastomosis of (Grindlay), 22
Tract, biliary, hemorrhage into, following trauma—"traumatic hemobilia" (Sandblom), 571
Training of general surgeon, postwar trends in (Zollinger), 161
Transversalis fascia and Cooper's ligament, value derived from utilizing component parts of, in repair of large indirect and direct inguinal hernia (Donald), 662

Transverse fracture, compound, of maxilla (Cubero), 109
Trauma, bone, relationship of, to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 134
hemorrhage into biliary tract following—"traumatic hemobilia" (Sandblom), 571
Traumatic dislocation of hip (Stuck), 742 *(E.)*
"Traumatic hemobilia"—hemorrhage into biliary tract following trauma (Sandblom), 571
Treatment, definitive ambulatory, for infected pilonidal cysts (Crile, Jr.), 677
surgical, description of method of; clinical studies in craniosynostosis (Ingraham et al.), 518
of essential hypertension (IV) (de Takats et al.), 469
of large omphaloceles, new method for (Gross), 277
of pulmonary stenosis, experiences in (Paine and Varco), 355
Trophic ulcers, analysis of treatment of (Goldfarb and Wagner), 744
Tube, suction and feeding, for postoperative care of gastric resections (Singmaster), 621
Tubes of polyethylene film, method of making, for use in anastomosis of common bile duct, trachea, and pelvic colon (Grindlay), 22
Tumor involving both right and left lobes, successful surgical resection of; benign adenoma of liver (Longmire, Jr., and Scott, Jr.), 983
-forming amyloidosis of lung (Haynes et al.), 120
Tumors of small intestine (Weinberger and Paltauf), 35
solitary lung, problem of (Effler et al.), 917

U

Ulcer and/or erosion, gastroduodenal, complication fracture of long bones in man; relationship of bone trauma to development of acute gastroduodenal lesions in experimental animals and in man (Friesen et al.), 136
formation, peptic, relation of pancreatic secretion to (Poth et al.), 62
gastric or duodenal, severe hemorrhage from, indication for emergency operation in (Dunphy and Hoerr), 231
gastroduodenal, massive hemorrhage from (Stewart et al.), 239
ischial decubitus (Bors and Comarr), 680
peptic, clinical investigation and evaluation of four hundred sixteen cases consecutively operated upon for (Gaviser), 873
Ulcers, gastric, why treat medically? (Strode), 871 *(E.)*
gastroduodenal, production of, in dog by continuous subcutaneous or intravenous administration of histamine (Hanson et al.), 944
Ulcers—Cont'd
trophic, analysis of treatment of (Goldfarb and Wagner), 744
University Surgeons, Society of, 161-444
Uremia, experimental, treatment of, by intestinal lavage (White and Harkins), 90
Ureterosigmoidostomy, bilateral, for exstrophy of bladder, polyps of sigmoid occurring thirty years after (Dixon and Weismann), 1026

V

Vaginal anus, termination of one colon into, duplication of entire colon and lower ileum, with (Brunschwig et al.), 1010
Vagotomy, subdiaphragmatic, diaphragmatic hernia following (Beal), 625
Vascular repair, experimental studies in (I) (Shumacker, Jr., and Lowenberg), 79
surgery, Society for, 445-511
thrombosis in acute appendicitis (Remington and McDonald), 787
Vein, superficial femoral, interruption of, and ligation and stripping of long and short saphenous veins, treatment by; postthrombotic syndrome of lower extremity (Linton and Hardy, Jr.), 452
Venous thrombosis (Ochsner), 445
Ventilation of lungs of dogs, effects of supine position upon (Drinker and Hardenbergh), 113
Ventricle, hydrocephalic third (posterior third ventriculostomy), posterior cisternal drainage of (Schuller), 119
Vermicularis, enterobius, chronic inflammatory intestinal obstruction due to (Miller and Ginsberg), 57
Volvulus of cecum, roentgen diagnosis of (McGraw et al.), 793

W

Weight fluctuations, daily, studies on one hundred fifty-one patients at university hospital in relation to (Sullivan, Jr.), 939
Wiring, method of; patella fractures (Michele and Krueger), 100
Wound closure, early, and fasciotomy, notes on, as treatment of choice; suppurative fasciitis as essential feature of hemolytic streptococcus gangrene (McCafferty, Jr., and Lyons), 438
healing, experimental study of (I) (Scheinberg et al.), 972
Wounds, aseptic treatment of, 589 *(B. Rev.)*
contaminated, sutured, effect of streptomycin, local and systemic on (Kirby et al.), 647

Z

Zygomatic fixation, for compound transverse fracture of maxilla (Cubero), 109